

SAFETY DATA SHEET B510

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name B510

Container size 10ml, 25ml, 50ml and 250ml bottles, 65ml

UFI: GG20-J0PR-T00Y-K2EN

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

1.3. Details of the supplier of the safety data sheet

Supplier Bondloc UK Ltd

Units 1 & 2 Bewdley Business Park

Long Bank Bewdley Worcestershire DY12 2TZ United Kingdom +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk

1.4. Emergency telephone number

Emergency telephone +44 (0)1299 269269

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 1 - H410

2.2. Label elements

Hazard pictograms





Signal word Warning

Hazard statements H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

B510

Precautionary statements P261 Avoid breathing vapour/ spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.
P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

P391 Collect spillage.

P501 Dispose of contents/ container in accordance with national regulations.

Contains 2-hydroxypropyl methacrylate, 1,1'-(methylenedi-p-phenylene)bismaleimide, maleic acid, 2'-

phenylacetohydrazide

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Esterification products of 4,4'-isopropylidenediphenol,

30-60%

ethoxylated and 2-methylprop-2-enoic acid

CAS number: 41637-38-1 EC number: 609-946-4 REACH registration number: 01-

2119980659-17-0000

Classification

Aquatic Chronic 4 - H413

2-hydroxypropyl methacrylate

5-10%

CAS number: 923-26-2 EC number: 213-090-3

Classification

Eye Irrit. 2 - H319 Skin Sens. 1 - H317

1,1'-(methylenedi-p-phenylene)bismaleimide

5-10%

CAS number: 13676-54-5 REACH registration number: 01-

2119969947-11-0000

M factor (Chronic) = 10

Classification

Acute Tox. 3 - H331 Skin Sens. 1A - H317 Aquatic Chronic 1 - H410

B510

α, α -dimethylbenzyl hydroperoxide			<1%
CAS number: 80-15-9	EC number: 201-254-7	REACH registration number: 01- 2119475796-19-0000	
Classification			
Org. Perox. E - H242			
Acute Tox. 4 - H302			
Acute Tox. 4 - H312			
Acute Tox. 3 - H331			
Skin Corr. 1B - H314			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
STOT RE 2 - H373			
Aquatic Chronic 2 - H411			

 maleic acid

 CAS number: 110-16-7
 EC number: 203-742-5
 REACH registration number: 01-2119488705-25-0000

 Classification

 Acute Tox. 4 - H302
 Acute Tox. 4 - H312

 Skin Irrit. 2 - H315
 Eye Irrit. 2 - H319

 Skin Sens. 1 - H317
 STOT SE 3 - H335

2'-phenylacetohydrazide
CAS number: 114-83-0
EC number: 204-055-3

Classification
Acute Tox. 3 - H301
Skin Irrit. 2 - H315
Eye Irrit. 2 - H319
Skin Sens. 1 - H317
STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move affected person to fresh air at once. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting.

Skin contact Wash skin thoroughly with soap and water. Get medical attention.

Eye contact Rinse immediately with plenty of water. Get medical attention if symptoms are severe or

persist. Continue to rinse for at least 10 minutes.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with the following media: Carbon dioxide (CO2). Foam. Water spray. Powder.

Unsuitable extinguishing

None known.

media

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Oxides of carbon. Oxides of nitrogen. Sulphur.

5.3. Advice for firefighters

Protective actions during

firefighting

Containers close to fire should be removed or cooled with water.

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

for firefighters

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of dust and

vapours.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste

disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash

hands and any other contaminated areas of the body with soap and water before leaving the

work site. Avoid contact with eyes and prolonged skin contact.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a well-ventilated place. Protect from sunlight. Keep

away from heat. Protect from moisture.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

8.2. Exposure controls

B510

Eye/face protection Wear eye protection.

Hand protectionTo protect hands from chemicals, gloves should comply with European Standard EN374.

Wear protective gloves made of the following material: Butyl rubber. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide

information about the breakthrough time of the glove material.

Other skin and body

protection

Wear apron or protective clothing in case of contact.

Hygiene measures Wash hands thoroughly after handling. Wash after use and before eating, smoking and using

the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection If ventilation is inadequate, suitable respiratory protection must be worn.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Red.

Odour Characteristic.

Odour threshold Not available.

pH Not applicable.

Melting point Not available.

Initial boiling point and range Not determined.

Flash point < 100°C

Evaporation rate Not determined.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not determined.
Vapour density Not available.

Relative density Not available.

Solubility(ies) Miscible with water.

Partition coefficient Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity Paste

Explosive properties Not available.

Oxidising properties Not available.

9.2. Other information

Other information None.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity See Section 10.3 (Possibility of hazardous reactions) for further information.

B510

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight. Avoid heat.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Strong acids. Strong oxidising agents. Alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition In case of fire Oxides of: Carbon dioxide (CO2). Carbon monoxide (CO). Nitrogen.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 21,931.41

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 30.33

Inhalation Irritating to respiratory system.

Skin contact Irritating.

Eye contact Causes serious eye irritation.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

12.1. Toxicity
Ecotoxicity

Toxicity Avoid discharge into drains or watercourses or onto the ground.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility Not available

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste product or used containers in accordance with local regulations

Disposal methods Dispose of waste product or used containers in accordance with local regulations

Waste class 08 04 09 waste adhesives and sealants containing organic solvents or other dangerous

substances. 15 01 10 packaging containing residues of or contaminated by dangerous

substances.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 3082
UN No. (IMDG) 3082
UN No. (ICAO) 3082
UN No. (ADN) 3082

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,1'-(methylenedi-p-

phenylene)bismaleimide")

Proper shipping name (IMDG) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,1'-(methylenedi-p-

phenylene)bismaleimide")

Proper shipping name (ICAO) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,1'-(methylenedi-p-

phenylene)bismaleimide")

Proper shipping name (ADN) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,1'-(methylenedi-p-

phenylene)bismaleimide")

14.3. Transport hazard class(es)

ADR/RID class 9

ADR/RID classification code M6

ADR/RID label 9

IMDG class 9

ICAO class/division 9

ADN class 9

Transport labels



14.4. Packing group

ADR/RID packing group III
IMDG packing group III
ICAO packing group III

ADN packing group III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant



14.6. Special precautions for user

EmS F-A, S-F

ADR transport category 3

Emergency Action Code •3Z

Hazard Identification Number 90

(ADR/RID)

Tunnel restriction code (-)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date 17/12/2020

Revision 4

Supersedes date 22/09/2020

SDS number 5092

Hazard statements in full H242 Heating may cause a fire.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.